




- LED downlights
- Body in die-cast aluminium
- Available in multi LED (Set) and single LED (Star) options
- Each version is available in either warm white and cool white
- Requires remote LED driver:
350mA for 1.2W LED option
700mA for 2.4W LED option
- Can be installed on normally flammable surfaces
- Class 3
- IP20



18
Silver




code lamp details

Set 7 led downlight

2295/1 7 x 1.2/2.4W 12V Cool
2295/2 7 x 1.2/2.4W 12V Warm

Remote 350mA or 700mA LED driver required

IP 20 Ø 110 30°




code lamp details

Set 3 led downlight

2294/1 3 x 1.2/2.4W 12V Cool
2294/2 3 x 1.2/2.4W 12V Warm

Remote 350mA or 700mA LED driver required

IP 20 Ø 65 20°




code lamp details

Star tilting anti-glare LED

2293/1 1 x 1.2/2.4W 12V Cool
2293/2 1 x 1.2/2.4W 12V Warm

Remote 350mA or 700mA LED driver required

IP 20 Ø 40 30°




code lamp details


Star tilting LED

2292/1 1 x 1.2/2.4W 12V Cool
2292/2 1 x 1.2/2.4W 12V Warm

Remote 350mA or 700mA LED driver required

IP 20 Ø 40 30°







code lamp details

Star fixed anti-glare LED

- 2291/1** 1 x 1.2/2.4W 12V Cool
- 2291/2** 1 x 1.2/2.4W 12V Warm

Remote 350mA or 700mA LED driver required




code lamp details

Star fixed LED

- 2290/1** 1 x 1.2/2.4W 12V Cool
- 2290/2** 1 x 1.2/2.4W 12V Warm

Remote 350mA or 700mA LED driver required



Accessories

code details

LED Driver

- 7320.350** 1-11W 350mA



code details

LED Driver

- 7320.700** 1-17W 700mA



