





code details

**Wolf 150** 30-150VA Electronic transformer  
Class II protection against direct and indirect contact electric shock


Protection against surges, spikes in the mains, overload protection and short circuit protection on output

When the normal conditions are restored the transformer will automatically restart

Dimmable by trailing edge dimmer

Suitable for installation inside furniture and normal flammable surfaces (130°C)

**7309** 30-150VA



code details

**Wolf 250** 100-250VA Electronic transformer

Class II protection against direct and indirect contact electric shock


Protection against surges, spikes in the mains, overload protection, short circuit protection on output and thermal protection for internal overheating

When the conditions are returned to normal the transformer will automatically restart

Dimmable by trailing edge dimmer

Suitable for installation inside furniture and normal flammable surfaces (130°C)


**7310** 100-250VA





code details

**LED driver** 0-10W LED independent ballast  
 IP20 rated  
 Class II protection against direct and indirect contact  
 electric shock  
 Protection against surges, spikes in the mains,  
 overload protection, overheating and short circuit  
 protection on output




**7312**      0-10W      24V



code details

**DC LED driver** for use with direct current LED  
 products  
 Class II protection  
 Protection against surges, spikes in the mains,  
 thermal and short circuit protection on output




**7320.350**    1-11W    350mA    max 11 x 1W LED's  
**7320.500**    1-12W    500mA    max 6 x 2W LED's  
**7320.700**    1-17W    700mA    max 17 x 1W LED's



code details

**DC LED driver** for use with direct current LED  
 products  
 Class II protection  
 Protection against surges, spikes in the mains,  
 short circuit protection on output  
 Comes complete with power cable



**7320**      1-9W      350mA    max 9 x 1W LED's






code details

**Metal Halide Gear Box** electronic control gear for metal halide lamps with end of life protection.

**7338** 35W  
**7340** 70W

 **300** gm's




code details

**Metal Halide Gear Box** electronic ontrol gear for metal halide lamps with end of life protection.

**7342** 150W

 **450** gm's




code details

**Metal Halide Gear Box** magnetic ontrol gear for metal halide lamps with housing in die-cast aluminium

**7330** 35W  
**7331** 70W  
**7332** 150W

 **2.5** kg's






code details

**PL Gear Box** magnetic control gear for compact fluorescent lamps with housing in die-cast aluminium IP20 rated for indoor use

<b>7321-IMP</b>	13W
<b>7322-IMP</b>	18W
<b>7323-IMP</b>	26W
<b>7324-IMP</b>	2 x 13W
<b>7325-IMP</b>	2 x 18W
<b>7326-IMP</b>	2 x 26W



2.5 kg's




code details

**Electronic Ballast** Compact size IP 20 independent gear for internal use, can be used for Class II and emergency installations according to VDE 0108 Start with pre-heating to increase lamp life Protection against mains voltage spikes, disconnection of lamp and lamp failure Rapid coupling input and output terminals Supplied with terminal cover for retaining cables 2 x 0.75mm<sup>2</sup> H03V VH2-F

<b>7350</b>	2 x 26W
<b>7351</b>	2 x 18W



90 grms




## Accessories



code details

**Galvanised Box** for light placement in concrete slabs

<b>BOX1</b>	250 x 146 x 122
-------------	-----------------



code details

**Box Cut Out** galvanised cutout for downlight placement in galvanised boxes

<b>BOXCUT 65</b>	65 Diam. Cut Out
<b>BOXCUT 70</b>	70 Diam. Cut Out
<b>BOXCUT 75</b>	75 Diam. Cut Out
<b>BOXCUT 80</b>	80 Diam. Cut Out
<b>BOXCUT 85</b>	85 Diam. Cut Out
<b>BOXCUT 90</b>	90 Diam. Cut Out
<b>BOXCUT 95</b>	95 Diam. Cut Out