



- Low voltage range of downlights in round or square shape
- Edge downlights have three different styles namely fixed, tilt and antiglare with the Edge basic range available in fixed and tilt only
- The body of the Edge range of downlights is made in turned solid aluminium and has a very fine finish (fig.1)
- Easy lamp installation (fig.2)
- Utilizes a unique clipping system to hold the lamp in place (fig.3)
- Remote transformer required
- Can be installed on normally flammable surfaces
- Class 3
- IP 20

Fig. 1



Fig. 2a



Fig. 2b



Fig. 3









Aluminium





code lamp details
Edge fixed round
2210 50W 12V Gu5.3
 Remote transformer required
Ø 60




code lamp details
Edge tilt round
2211 50W 12V Gu5.3
 Remote transformer required
Ø 75




Edge tilt 2 light
2220 2 x 50W 12V Gu5.3
 Remote transformer required
80 x 160




code lamp details
Edge anti-glare round
2212 50W 12V Gu5.3
 Remote transformer required
Ø 75



Edge anti-glare 2 light
2221 2 x 50W 12V Gu5.3
 Remote transformer required
75 x 162



code lamp details
Edge fixed square
2213 50W 12V Gu5.3
 Remote transformer required
Ø 60









Aluminium




code lamp details
Edge tilt square
2214 50W 12V Gu5.3
 Remote transformer required
 $\varnothing 75$



code lamp details
Edge anti-glare square
2215 50W 12V Gu5.3
 Remote transformer required
 $\varnothing 75$



code lamp details
Edge Basic fixed round
2216 50W 12V Gu5.3
 Remote transformer required
 $\varnothing 60$



code lamp details
Edge Basic Tilt round
2217 50W 12V Gu5.3
 Remote transformer required
 $\varnothing 70$

